

Brand

OTOT

Product Name

CS900VT

Description

- NEOREST NX 'S trap' Luxurious integrated toilet
- EWATER+ automatically spreads out and keeps clean toilet bowl and nozzle by preventing bacteria with sanitizing effect
- New RIMLESS DESIGN. Simply beautiful in shape with no shaded area make cleaning easier
- TORNADO FLUSH system. Waterjet travels in a narrow channel along a hairpin curves and with sustain water pressure, thoroughly cleanse the bowl
- CeFiONtect prevents debris on toilet surface
- PREMIST water is sprayed to make it difficult for dirt to adhere
- SELF-CLEANSING WAND where wand self-cleans before and after every use
- AIR-IN WONDERWAVE Cleansing provides eco-friendliness
- Come with 16A ELCB 10mA DP (SS97)
- Refer to 2nd page for detail functions

Colour / Material

Bowl & Cover – White Remote Control - Sliver

Specifications

Flush System : Tornado Flush Water Usage : 3.8 / 3.0L

Rough-in : 305 mm (S-Trap)

Size : 468W x 800D x 565H mm

Water Pressure : 0.05Mpa ~ 0.75 Mpa Power Rating $: 220 \sim 240$ V 50/60Hz

Power Cord : 1.2 m

Length




NEOREST FUNCTIONS

Hygiene Functions		Cleansing Functions		Comfort Functions	
Actilight		Air-In Wonder- Wave	•	Auto Open / Close Lid	•
Ewater +	•	Rear Cleansing	•	Auto Flush	•
Tornado Flushing	•	Rear Soft Cleansing	•	Instant Heated Seat	•
CeFiontect	•	Front Cleansing	•	Heated Seat	•
Rimless	•	Wide Front Cleansing	•	Dryer	•
Premist	•	Oscillating Cleansing	•	Deodorizer	•
Self-Cleaning Wand	•	Pulsating Cleansing	•	Soft Light	•
Antibacterial Feature	•	Water Pressure Control	•	Energy Save Timer	•
		Wand Position Adjustment	•	Auto Energy Saver	•



Electrical Installation Requirements for TOTO Washlet & Neorest



Remarks:

The above information is a guideline and subjected to local code of practice and requirement. Please engage with competent Electrical Contractor and Licensed Electrical Worker to carry out the work prior for inspection and certification.