




✓✓ Very Good

CW522HME5UNW1
TCF804E2Z
WH172AAT



Brand

TOTO

Product Name

CW522HME5UNW1

Description

- Wall hung toilet
- Tornado Flushing for powerful flushing effect with less amount of water
- Rimless bowl design ensures easy cleaning and ultimate hygiene
- CeFiONtect prevents debris on toilet surface
- Come with concealed feature, hiding all wires inside the bowl
- Auto flushing when paired with TCF804E2Z

Colour / Material

White


Specifications

Flush System	: Tornado, Dual Flush
Water Usage	: 4.0 L / 2.7 L
Rough-in	: 220 mm (P-Trap)
Size	: 380W x 580D x 335H mm
Water Pressure	: 0.05MPa ~ 0.75MPa


TOTO

K9203R FIXING KIT INSTALLATION MANUAL

Included Parts



Parts name




* The product may be slightly different in shape than the product shown in the figure depending on the model.


Installation Procedure

1


For finished wall surfaces




When using a sound insulation mat




2




3



4



For repairs & maintenance, where the dismantling and reinstalling of the wall hung water closet is concern, it is advisable to change the fixing kit.



Brand

TOTO

Product Name

TCF804E2Z#NW1

Description

- WASHLET with comfortable rear, front, pulsating and oscillating cleansing functions
- Auto lid opening and closing
- EWATER+: Sanitizing water technology keeps the bowl, nozzle & under seat clean
- PREMIST
- Adjustable water, dryer & seat temperature with deodorizer
- Remote control operation
- Refer to 2nd page for detailed functions

Colour / Material

White / Urea Resin

Specifications

Size : 383W x 579D x 108H mm
 Water pressure : 0.05MPa ~ 0.75MPa
 Power rating : 220 ~ 240V, 50/60Hz , 826 ~ 837W
 Power cord : 0.9 m

***Lithium batteries are recommended to reduce leakage risk. Alkaline batteries require regular replacement**




WASHLET FUNCTIONS

Hygiene Functions		Cleansing Functions		Comfort Functions	
Ewater+	•	Air in Wonder Wave	•	Auto Lid Opening and Closing	•
Antibacterial Feature	•	Rear Cleansing	•	Soft Close Seat and Lid	•
Removable Lid		Soft Rear Cleansing	•	Deodorizer	•
One-Touch Removable of Main Unit	•	Front Cleansing	•	Dryer	•
Nozzle Cleaning Button	•	Wide Front Cleansing		Heated Seat	•
Self-Cleaning Nozzle	•	Oscillating (Move) Cleansing	•	Soft Light	•
Pre-mist	•	Pulsating Cleansing	•	Remote Control	•
		Nozzle Position Adjustment	•	Water Pressure	•
				Personal Setting	•
				Temperature	•
				Energy Saver	•




Electrical Installation Requirements for TOTO Washlet & Neorest



Remarks:

The above information is a guideline and subjected to local code of practice and requirement. Please engage competent Electrical Contractor and Licensed Electrical Worker to carry out the work prior for inspection and certification.



Brand

TOTO

Product Name

WH173SGAT

Description


- Concealed cistern tank
- Dual flush system
- Compatible with WASHLET +

Colour / Material


Specifications

Water Use : 4.0 L / 3.0 L


Water Pressure : 0.05MPa ~ 0.75MPa




Model Name: MB176G#WH
Material: Glass
Glass with white buttons




Model Name: MB174P#SS
Material: ABS
Sliver matte buttons



Model Name: MB171M#SS
Material: Stainless Steel
Stainless steel buttons



Model Name: MB175M#SS
Material: Stainless Steel
Stainless steel buttons



Model Name: MB170P#SS
Material: ABS
Sliver matte buttons